

MarineOmega™

Appel LJ, Miller ER3rd, Seidler AJ, et al. Does supplementation of diet with ‘fish oil’ reduce blood pressure? A meta-analysis of controlled clinical trials. *Arch Intern Med.* 1993; 153: 1429–1438.

Amaducci, L, Crook, TH, Lippi, A, et al. Use of phosphatidylserine in Alzheimer’s Disease. *Ann NY Acad Sci* 1991;640:245-49.

Belluzzi A, Brignola C, Campieri M, et al. Effect of an enteric-coated fish oil preparation on relapses in Crohn’s disease. *N Engl J Med* 1996;334:1557-1560.

Boelsma E, Hendriks HF, Roza L. Nutritional skin care: health effects of micronutrients and fatty acids. *Am J Clin Nutr* 2001;73:853-864.

Brenna JT. Efficiency of conversion of alpha linolenic acid to long chain n-3 fatty acids in man. *Curr Opin Clin Nutr Metab Care* 2002;5:127-132.

Burdge GC, Wooten SA. Conversion of alpha linolenic acid to eicosapentaenoic, docosapentaenoic and docosahexaenoic acid in young women. *Br J Nutr* 2002;88:411-420.

Burdge GC, Jones AC, Wootton SA. Eicosapentaenoic and docosapentaenoic acids are the principle products of alpha-linolenic acid metabolism in young men. *Br J Nutr* 2002;88:355-363.

Burr ML, Fehily AM. Fatty fish and heart disease: A randomized controlled trial. *World Rev Nutr Diet* 1991;66:306-312.

Burr ML, Fehily AM, Gilbert JF, et al. Effects of changes in fat, fish, and fibre intakes on death and myocardial reinfarction: diet and reinfarction trial (DART). *Lancet.* 1989; 2: 757–761.

Calder PC, Yaqoob P, Thies F, et al. Fatty acids and lymphocyte functions. *Br J Nutr* 2002;87(Suppl):S31-S48.

Chapman and Hall. Unsaturated fatty acids: nutritional and physiological significance. British Nutrition Foundation. 1992. London

Colin A, Reggers J, Castronovo V, Ansseau M. Lipids, depression and suicide. *Encephale* 2003;29:49-58.

Connor SJ, Conner WE. Are fish oils beneficial in the prevention and treatment of coronary artery disease? *Am J Clin Nutr* 66(suppl):1020S-1031S, 1997.

Conquer JA, Tierney MC, Zecevic J, et al. Fatty acid analysis of blood plasma of patients

with Alzheimer's disease, other types of dementia, and cognitive impairment. *Lipids* 2000;35:1305-1312.

Davidson MR, Maki KC, Kalkowski J, et al. Effects of docosahexaenoic acid on serum lipoproteins in patients with combined hyperlipidemia: A randomized, double-blind, placebo-controlled trial. *J Am Coll Nutr* 1997;16:236-243.

Dietary supplementation with n-3 polyunsaturated fatty acids and vitamin E after myocardial infarction: results of the GISSI-Prevenzione trial. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico. *Lancet*. 1999; 354: 447–455.

Emken EA, Adlof RO, Gulley RM. Dietary linoleic acid influences desaturation and acylation of deuterium-labeled linoleic and linolenic acids in young adult males. *Biochem Biophys Acta*. 1994;1213:277-288.

Emsley R, Myburgh C, Oosthuizen P, van Rensburg SJ. Randomized, placebo-controlled study of ethyl-eicosapentaenoic acid as supplemental treatment in schizophrenia. *Am J Psychiatry* 2002;159:1596-1598.

Endres S, Meydani SN, Dinarello CA. Effects of omega-3 fatty acid supplements on ex vivo synthesis of cytokines in human volunteers. *World Rev Nutr Diet* 1991;66:401-406.

Eritsland J, Arnesen H, Gronseth K, et al. Effect of dietary supplementation with n-3 fatty acids on coronary artery bypass graft patency. *Am J Cardiol*. 1996; 77: 31–36.

Fenton WS, Dickerson F, Boronow J, et al. A placebo-controlled trial of omega-3 fatty acid (ethyl eicosapentaenoic acid) supplementation for residual symptoms and cognitive impairment in schizophrenia. *Am J Psychiatry* 2001;158:2071-2074.

Freeman MP. Omega-3 fatty acids in psychiatry: a review. *Ann Clin Psychiatry* 2000;12:159-165.

Friedburg CE, Janssen MJ, Heine RJ, Grobbee DE. Fish oil and glycemic control in diabetes. A meta-analysis. *Diabetes Care* 1998;21:494-500.

Gerster H. Can adults adequately convert alpha-linolenic acid (18:3n-3) to eicosapentaenoic acid (20:5n-3) and docosahexaenoic acid (22:6n-3)

Haag M. Essential fatty acids and the brain. *Can J Psychiatry* 2003;48:195-203.

Haglund O, et al. The effect of fish oil on triglycerides, cholesterol, fibrinogen and malondialdehyde in humans supplemented with vitamin E. *J Nutr* 1991;121:165-169.

Hamazaki T, Sawazaki S, Itomura M, et al. The effect of docosahexaenoic acid on aggression in young adults. A placebo-controlled double-blind study. *J Clin Invest*

1996;1129-1133.

Harris WS. n-3 Fatty acids and serum lipoproteins: human studies. Am J Clin Nutr. 1997; 65 (5 Suppl): 1645S-1654S.

Harris WS, Rambjor GS, Windsor SL, Diederich D. N-3 fatty acids and urinary excretion of nitric oxide metabolites in humans. Am J Clin Nutr 1997;65:459-464.

Harris WS. Fish oils and plasma lipid and lipoprotein metabolism in humans: a critical review. J Lipid Res 30:785-805, 1989.

He K, Rimm EB, Merchant A, et al. Fish consumption and risk of stroke in men. JAMA 2002;288:3130-3136.

Hirata, F, Axelrod, J. Phospholipid methylation and biological signal transmission. Science 1980;209:1082-90.

Horrobin DF, Jenkins K, Bennett CN, Christie WW. Eicosapentaenoic acid and arachidonic acid: collaboration and not antagonism is the key to biological understanding. Prostaglandins Leukot Essent Fatty Acids 2002;66:83-90.

Iso H, Rexrode HM, Stampfer MJ, et al. Intake of fish and omega-3 fatty acids and risk of stroke in women. JAMA 2001;304-312.

Jackson MJ, Jackson MJ, McArdle F et al. Effects of micronutrient supplements on u.v.-induced skin damage. Proc.Nutr.Soc 2002;61:187-9.

Jain S, Gaiha M, Bhattacharjee J, Anuradha S. Effects of low-dose omega-3 fatty acid substitution in type 2 diabetes mellitus with special reference to oxidative stress—a prospective preliminary study. J Assoc Physicians India 2002;50:1028-1033.

James MJ, Gibson RA, Cleland LG. Dietary polyunsaturated fatty acids and inflammatory mediator production. Am J Clin Nutr 2000;71:343S-348S.

Joy CB, Mumby-Croft R, Joy LA. Polyunsaturated fatty acid (fish or evening primrose oil) for schizophrenia. Cochrane Database Syst Rev 2000;CD001257.

JSS Medical Research, Inc. Evaluation of the effects of Neptune Krill OilTM on the management of hyperlipidemia. June 7, 2003.

JSS Medical Research, Inc. Evaluation of the effects of Neptune Krill OilTM on UV Induced Skin Cancer. 2003.

Julius U. Fat modification in the diabetes diet. Exp Clin Endocrinol Diabetes 2003;111:60-65.

Kinsella J, Lokesh B, Stone R. Dietary n-3 polyunsaturated fatty acids and amelioration of cardiovascular disease: possible mechanisms. *Am J Clin Nutr* 1990;52:1-28.

Krauss RM et al. AHA Dietary Guidelines. Revision 2000: A statement for healthcare professionals from the nutrition committee of the American Heart Association. *Circ*. 2000;102:2296-2311.

Kremer JM. Effects of modulation of inflammatory and immune parameters in patients with rheumatic and inflammatory disease receiving dietary supplementation of n-3 and n-6 fatty acids. *Lipids* 1996;31:S243-S247.

Kremer JM, Robinson DR. Studies of dietary supplementation with omega-3 fatty acids in patients with rheumatoid arthritis. *World Rev Nutr Diet* 1991;66:367-382.

Kremer JM, Jubiz W, Michalek A, et al. Fish-oil fatty acid supplementation in active rheumatoid arthritis. *Ann Int Med* 1987;106:497-503.

Kris-Etherton PM, Taylor DS, Yu-Poth S, et al. Polyunsaturated fatty acids in the food chain in the United States. *Am J Clin Nutr*. 2000;71(1 Suppl):179S-188S.

Laugharne JD, Mellor JE, Peet M. Fatty acids and schizophrenia. *Lipids* 1996;31 Suppl:S163-S165.

Mensink R, Zock P, Katan M, Hornstra G. Effect of dietary cis and trans fatty acids on serum lipoprotein[a] levels in humans. *J Lipid Res* 1992;33:1493-1501.

Michael A. Schmidt, Brain Building Nutrition chapter 15, Frog Ltd, Berkely, California, pg 208-212Put, A, et al. Clinical efficacy of essential phospholipids in patients chronically exposed to organic solvents. *J Intl Med Res* 1993;21:185-91.

Morris MC, Evans DA, Bienias JL, et al. Consumption of fish and n-3 fatty acids and risk of incident Alzheimer disease. *Arch Neurol* 2003;60:923-924.

Morris MC, Sacks F, Rosner B. Does fish oil lower blood pressure? A meta-analysis of controlled trials. *Circulation*. 1993; 88: 523–533.

Murray, M. Encyclopedia of Nutritional Supplements, Rocklin, CA: Prima Publishing, 1996, pp. 239-278.

Nakamura N, Hamazaki T, Kobayashi M, et al. Effect of eicosapentaenoic acids on remnant-like particles, cholesterol concentrations and plasma fatty acid composition in patients with diabetes mellitus. *In Vivo* 1998; 12:311-314.

Nair SSD, Leitch JW, Falconer JW, et al. Prevention of cardiac arrhythmia by dietary (n-3) polyunsaturated fatty acids and their mechanism of action. *J Nutr* 1997;127:383-393.

Nkondjock A, Shatenstein B, Maisonneuve P, Ghadirian P. Specific fatty acids and human colorectal cancer: an overview. *Cancer Detect Prev* 2003;27(1):55-66.

Nomura S, Kanazawa S, Fukuhara S. Effects of eicosapentaenoic acid on platelet activation markers and cell adhesion molecules in hyperlipidemic patients with type 2 diabetes mellitus. *J Diabetes Complications* 2003;17:153-159.

Otsuka M. Analysis of dietary factors in Alzheimer's disease: clinical use of nutritional intervention for prevention and treatment of dementia. *Nippon Ronen Igakkai Zasshi* 2000;37:970-973.

Peet M, Horrobin DF, E-E Multicentre Study Group. A dose-ranging exploratory study of the effects of ethyl-eicosapentenoate in patients with persistent schizophrenic symptoms. *J Psychiatr Res* 2002;36:7-18.

Peet M, Brind J, Ramchand CN, et al. Two double-blind placebo-controlled pilot studies of eicosapentaenoic acid in the treatment of schizophrenia. *Schizophr Res* 2001;49:243-251.

Peet M, Laugharne JD, Mellor J, Ramchand CN. Essential fatty acid deficiency in erythrocyte membranes from chronic schizophrenic patients, and the clinical effects of dietary supplementation. *Prostaglandins Leukotrienes and Essential Fatty Acids* 1996;55:71-75.

Radack K, Deck C, Huster G. Dietary supplementation with low-dose fish oils lowers fibrinogen levels: A randomized, double-blind controlled study. *Ann Intern Med* 1989;111:757-758.

Rhodes LE, Shahbakhti H, Azurdia RM, et al. Effect of eicosapentaenoic acid, an omega-3 polyunsaturated fatty acid, on UVR-related cancer risk in humans. An assessment of early genotoxic markers. *Carcinogenesis* 2003;24:919-925.

Rhodes LE, Durham BH, Fraser WD, Friedmann PS. Dietary fish oil reduces basal and ultraviolet B-generated PGE2 levels in skin and increases the threshold to provocation of polymorphic light eruption. *J Invest Dermatol* 1995;105:532-535.

Rhodes LE, O'Farrell S, Jackson MJ, Friedmann PS. Dietary fish-oil supplementation in humans reduces UVB-erythema sensitivity but increases epidermal lipid peroxidation. *J Invest Dermatol* 1994;103(2):151-154.

Ristic V, Ristic G. Role and importance of dietary polyunsaturated fatty acids in the prevention and therapy of atherosclerosis. *Med Pregl* 2003;56:50-53.

Salem N, Jr., Pawlosky R, Wegher B, Hibbeln J. In vivo conversion of linoleic acid to arachidonic acid in human adults. *Prostaglandins Leukot Essent Fatty Acids* 1999;60:407-

Shapiro, J.A., et al. Diet and rheumatoid arthritis in women: a possible protective effect of fish consumption. *Epidemiology*, 1996 May, 7(3):256-63.

Skerrett PJ, Hennekens CH. Consumption of fish and fish oils and decreased risk of stroke. *Prev Cardiol* 2003;6:38-41.

Simpoulos AP, Leaf A, Salen N., Jr. Conference Report: Workshop on the essentiality of and recommended dietary intakes for omega-6 and omega-3 fatty acids. *J Am Coll Nutr* 1999;18:487-489, 1999.

Simpoulos AP, Leaf A, Salmen N Jr. Essentiality of and recommended dietary intakes for omega 6 and omega 3 fatty acids. *Ann Nutr Metab*. 1999;43:127-130.

Simopoulos, AT. Omega-3 fatty acids. In Spiller, GE, ed. *Handbook of Lipids in Human Nutrition*. Boca Raton, Florida: CRC Press, 1996:68.

Simopoulos AP. Omega-3 fatty acids in health and disease and in growth and development. *Am J Clin Nutr* 1991;54:438-463.

Singh RB, Niaz MA, Sharma JP, et al. Randomized, double-blind, placebo-controlled trial of fish oil and mustard oil in patients with suspected acute myocardial infarction: the Indian experiment of infarct survival-4. *Cardiovasc Drugs Ther*. 1997; 11: 485–491.

Sirtori CR, Galli C. N-3 fatty acids and diabetes. *Biomed Pharmacother* 2002;56:397-406.

Sperling RI. Effects of dietary fish oils on leukocyte leukotriene and PAF generation and on neutrophil chemotaxis. *World Rev Nutr Diet* 1991;66:391-400.

Tapiero H, ba GN, Couvreur P, Tew KD. Polyunsaturated fatty acids (PUFA) and eicosanoids in human health and pathologies. *Biomed Pharmacother* 2002;56:215-222.

Thies F, Garry JM, et al. Association of n-3 polyunsaturated fatty acids with stability of atherosclerotic plaques: a randomised controlled trial. *Lancet*. 2003 Feb 8:361(9356):477-85.

Tully AM, Roche HM, Doyle R, et al. Low serum choelsteryl ester-docosahexaenoic acid levels in Alzheimer's disease: a case-control study. *Br J Nutr* 2003;89(4):483-489.

Veierod MB, Thelle DS, Laake P. Diet and risk of cutaneous malignant melanoma: a prospective study of 50,757 Norwegian men and women. *Int J Cancer* 1997;71(4):600-604.

Volker D, Fitzgerald P, Major G, Garg M. Efficacy of fish oil concentrate in the treatment

of rheumatoid arthritis. *J Rheumatol.* 2000 Oct;27(10):2343-6.

Von Schacky C, Angerer P, Kothny W, et al. The effect of dietary omega-3 fatty acids on coronary atherosclerosis: a randomized, double-blind, placebo-controlled trial. *Ann Intern Med.* 1999; 130: 554–562.

Willatts P. Long chain polyunsaturated fatty acids improve cognitive development. *J Fam Health Care.* 2002;12(6 Suppl):5.

Yosefy C, Viskoper JR, Laszt A, et al. The effect of fish oil on hypertension, plasma lipids and hemostasis in hypertensive, obese, dyslipidemic patients with and without diabetes mellitus. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1999;61:83-87.

Zak A, Zeman M, Tvrzicka E, Stolba P. The effect of fish oil on metabolic parameters in patients with type 2 diabetes mellitus associated with dyslipidemia. *Cas Lek Cesk* 1996;135:354-359.

Ziboh VA. The significance of polyunsaturated fatty acids in cutaneous biology. *Lipids* 1996;31(Suppl):S249-S253.